

2007 HAWKER 850XP




Airframe: 3560 Hours
2090 Landings
EASA JAR OPS1 Compliant
On CAMP

Engines: Honeywell TFE-731-5BR
3560 Hours
2090 Cycles

APU: Honeywell GTCP36-150W
3192 Hours

Interior: Eight passengers with 5 individual pedestal based chairs arranged in a forward double club, aft 3 place divan opposite fwd facing chair, certified belted potty, observer stowable jump seat. Beige leather with half-matt wood veneer finish on tables, galley, dividers, storage cabinets, and doors.

Exterior: Upper Fuselage grey / lower fuselage and wings Matterhorn White.



Avionics:

Collins Pro Line 21 Integrated Avionics System

- Four Collins EFIS Flight Displays 8"x10" including 2 Primary and 2 Multifunction Displays
- Dual Collins AHC-3000 Attitude Heading Reference System
- Dual Collins CDU-6200 Control Display Units for FMS and Radio Control
- Dual Collins VHF-40000 Transceivers with 8.33 KHz Spacing
- Collins Automatic Flight Control System with dual FGC-3000 Flight Guidance Computers
- Collins HF-9000 High Frequency Transceiver with CSD-714 SELCAL
- Dual Collins NAV-4000 Receivers VOR/LOC Glideslope/Marker Beacon
- Collins TCAS 4000 Traffic Alert and Collision Avoidance System
- Collins Integrated Flight Information System
- Dual Collins FMS-6000 Flight Management Systems (MNPS, RNP-5, RNP-10, PRNAV Requirement)
- Dual Collins GPS-4000A Global Positioning Systems (GPS) 12 Channel
- Dual Collins DME-4000 Distance Measuring Equipment
- Dual Collins TDR-94 Transponders Enhanced Surveillance with Flight ID, Diversity with Dual Antennas
- Dual Collins ADC-3000 Air Data Computers – RVSM Capable
- Dual Collins Audio Systems-dB Systems digital Control Audio Panels
- Collins RTA-858 Turbulence Detection Weather Radar
- Collins ALT-4000 Radio Altimeter measures up to 2500' / Displays on PDF
- Collins MDC-3110 Maintenance Diagnostics Computer
- Honeywell Mark V Enhanced Ground Prox Warning w/ Windshear / Satisfies Class A and B TAWS
- Universal CVR-120 Cockpit Voice Recorder with 2 hour recording capability Airtex C 406N ELT
- Meggitt Mark II Secondary Flight Display System with Independent Air Data Unit
- Collins CST-23C Standby Radio Tuner, Cockpit Speaker Inhibit Switch, Angle of Attack System

Options:

- Aircell ST3100 Airborne Telephone with Cordless Cockpit&Cabin Handsets
- Airshow 410 System & Airshow Briefer System
- Cabin Audio and Video Entertainment System
- 110 VAC Power Outlet located in Cockpit on Co-Pilot side (1 Each)
- 110 VAC Power Outlet located in Cabin (2 Each)
- 110 VAC Power Outlet located in Lavatory (1 Each)
- Observer Jump Seat with audio and Oxygen
- Additional Storage under Four Fwd Seats
- Belted Lavatory Seat
- Honeywell Flight Data Recorder AR-FDR
- Long-Range Oxygen (Four 750 Liter Bottles)
- 2nd 15 Inch Cabin LCD Display
- Additional Storage under Four Fwd Seats
- Five Drop Down Inboard Armrests
- Precise Flight Pulselite System with TCAS interface
- LoPresti High Intensity Discharge (HID) Landing and Taxi Lights



